

example (a) $\frac{25}{0.5} \xrightarrow{\times 2} \frac{50}{1} =$ because $\frac{1}{1}$ means $\div 1 =$

example (b) $\frac{25}{0.5} \xrightarrow{\times 10} \frac{250}{5} \xrightarrow{\div 5} \frac{50}{1} =$

1. Complete calculation (a) or (b) or both.

(a) $\frac{48}{0.5} \xrightarrow{\times 2} \frac{96}{1} =$

(b) $\frac{48}{0.5} \xrightarrow{\times 10} \frac{480}{5} \xrightarrow{\div 5} \frac{96}{1} =$

(c) Which method (a) or (b) is easiest?

2. Work out the value of $\frac{22}{0.5}$

2.

example (a) $\frac{25}{0.5} \xrightarrow{\times 2} \frac{50}{1} = 50$ because $\frac{50}{1}$ means $50 \div 1 = 50$

example (b) $\frac{25}{0.5} \xrightarrow{\times 10} \frac{250}{5} \xrightarrow{\div 5} \frac{50}{1} = 50$

3. Work out the value of $\frac{13}{0.5}$

3.

4. Work out the value of $\frac{100}{0.5}$

4.

Answers

example (a) $\frac{25}{0.5} \xrightarrow{\times 2} \frac{50}{1} = 50$ because $\frac{50}{1}$ means $50 \div 1 = 50$

example (b) $\frac{25}{0.5} \xrightarrow{\times 10} \frac{250}{5} \xrightarrow{\div 5} \frac{50}{1} = 50$

1. 96
2. 44
3. 26
4. 200